

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Provider Number	Nursing Home Name	Street
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST

avamere sort

Based on Nursing Home Compare - Survey Deficiency

City	State	Zip Code	Phone	Survey Date	Date of Correction
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	07/30/2008	08/27/2008
TACOMA	WA	98498	(253) 588-2146	08/05/2008	08/22/2008
TACOMA	WA	98498	(253) 588-2146	08/05/2008	08/22/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category
Fire Safety	Building Construction Deficiencies
Fire Safety	Fire Alarm Systems Deficiencies
Fire Safety	Automatic Sprinkler Systems Deficiencies
Fire Safety	Furnishings and Decorations Deficiencies
Fire Safety	Furnishings and Decorations Deficiencies
Fire Safety	Miscellaneous Deficiencies
Fire Safety	Laboratories Deficiencies
Health	Environmental Deficiencies
Health	Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Deficiency	Scope	Level of Harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Pattern	Minimal harm or potential for actual harm
restrictions on the use of flammable curtains.	Isolated	Minimal harm or potential for actual harm
fire safety features required by current fire safety codes.	Isolated	Minimal harm or potential for actual harm
proper facilities for the use and storage of combustible liquids.	Widespread	Minimal harm or potential for actual harm
Provide needed housekeeping and maintenance.	Pattern	Potential for minimal harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Pattern	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98498	(253) 588-2146	08/05/2008	08/22/2008
TACOMA	WA	98498	(253) 588-2146	08/05/2008	08/22/2008
TACOMA	WA	98498	(253) 588-2146	08/05/2008	08/11/2008
TACOMA	WA	98498	(253) 588-2146	05/05/2009	05/08/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Health

Quality Care Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
Provide rooms that are big enough for each resident.	Pattern	Potential for minimal harm
exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm
Provide activities to meet the needs of each resident.	Isolated	Minimal harm or potential for actual harm
1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give professional services that follow each resident's written care plan.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	05/11/2009	05/29/2009
TACOMA	WA	98498	(253) 588-2146	06/22/2010	07/01/2010
TACOMA	WA	98498	(253) 588-2146	06/22/2010	07/01/2010
TACOMA	WA	98498	(253) 588-2146	06/22/2010	07/01/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Environmental Deficiencies
--------	----------------------------

Health	Pharmacy Service Deficiencies
--------	-------------------------------

Health	Environmental Deficiencies
--------	----------------------------

Fire Safety	Corridor Walls and Doors Deficiencies
-------------	---------------------------------------

Fire Safety	Building Service Equipment Deficiencies
-------------	---

Fire Safety	Furnishings and Decorations Deficiencies
-------------	--

Health	Resident Rights Deficiencies
--------	------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Make sure that residents who cannot care for themselves receive help with eating/drinking, grooming and hygiene.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Pattern	Minimal harm or potential for actual harm
Properly mark drugs and other similar products.	Pattern	Potential for minimal harm
Provide rooms that are big enough for each resident.	Pattern	Potential for minimal harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm
Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply	Pattern	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Quality Care Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Environmental Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.		
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident's nutritional needs were met.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Develop/implement required procedures for the administration of immunizations.	Pattern	Minimal harm or potential for actual harm
Store, cook, and give out food in a safe and clean way.	Pattern	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505271	AVAMERE GEORGIAN HOUSE OF LAKEWOOD	8407 STEILACOOM BLVD SOUTHWEST
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98498	(253) 588-2146	06/25/2010	07/27/2010
TACOMA	WA	98408	(253) 474-8456	03/20/2009	04/17/2009
TACOMA	WA	98408	(253) 474-8456	03/20/2009	04/17/2009
TACOMA	WA	98408	(253) 474-8456	03/20/2009	04/17/2009
TACOMA	WA	98408	(253) 474-8456	03/20/2009	04/17/2009
TACOMA	WA	98408	(253) 474-8456	03/23/2009	05/07/2009
TACOMA	WA	98408	(253) 474-8456	03/23/2009	05/07/2009
TACOMA	WA	98408	(253) 474-8456	01/20/2010	02/26/2010
TACOMA	WA	98408	(253) 474-8456	01/20/2010	02/26/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Environmental Deficiencies
Health	Environmental Deficiencies
Health	Resident Assessment Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Fire Safety	Building Construction Deficiencies
Fire Safety	Corridor Walls and Doors Deficiencies
Fire Safety	Corridor Walls and Doors Deficiencies
Fire Safety	Illumination and Emergency Power Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Provide rooms that are big enough for each resident.	Pattern	Potential for minimal harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Isolated	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Minimal harm or potential for actual harm
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Isolated	Minimal harm or potential for actual harm
Develop/implement required procedures for the administration of immunizations.	Widespread	Potential for minimal harm
Use a registered nurse at least 8 hours a day, 7 days a week.	Pattern	Minimal harm or potential for actual harm
approved construction type or materials.	Pattern	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Pattern	Minimal harm or potential for actual harm
emergency lighting that can last at least 1 1/2 hours.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

	TACOMA	
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98408	(253) 474-8456	01/20/2010	02/26/2010
TACOMA	WA	98408	(253) 474-8456	01/20/2010	02/26/2010
TACOMA	WA	98408	(253) 474-8456	01/20/2010	02/26/2010
TACOMA	WA	98408	(253) 474-8456	01/26/2010	03/15/2010
TACOMA	WA	98408	(253) 474-8456	01/26/2010	03/15/2010
TACOMA	WA	98408	(253) 474-8456	01/26/2010	03/15/2010
TACOMA	WA	98408	(253) 474-8456	01/26/2010	03/15/2010
TACOMA	WA	98408	(253) 474-8456	01/26/2010	03/15/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

at least 1 1/2 hours.		harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm
restrictions on the use of flammable curtains.	Pattern	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Isolated	Minimal harm or potential for actual harm
Have a private telephone available for use.	Pattern	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Pattern	Minimal harm or potential for actual harm
Make sure there is a program to prevent/deal with mice, insects, or other pests.	Pattern	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98408	(253) 474-8456	01/26/2010	03/15/2010
TACOMA	WA	98408	(253) 474-8456	11/10/2010	12/14/2010
TACOMA	WA	98408	(253) 474-8456	11/10/2010	12/14/2010
TACOMA	WA	98408	(253) 474-8456	11/10/2010	12/14/2010
TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011
TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011
TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011
TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Administration Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Health

Resident Rights Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

or other pests.		
Train all employees on what to do in an emergency.	Pattern	Minimal harm or potential for actual harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm
Tell the resident completely about his or her health status.	Isolated	Minimal harm or potential for actual harm
Immediately tell the resident, doctor, and a family member if: the resident is injured, there is a major change in resident's physical/mental health, there is a need to alter treatment significantly, or the resident must be transferred or discharged.	Isolated	Minimal harm or potential for actual harm
Provide activities to meet the needs of each resident.	Isolated	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505183	AVAMERE HERITAGE REHABILITATION OF TACOMA	7411 PACIFIC AVENUE
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011
TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011
TACOMA	WA	98408	(253) 474-8456	11/22/2010	01/06/2011
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

that are listed in official regulations.		
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Provide care for each resident in a way that keeps or builds the resident's quality of life.	Isolated	Minimal harm or potential for actual harm
Provide social services for related medical problems to help each resident achieve the highest possible quality of life.	Isolated	Minimal harm or potential for actual harm
Provide needed housekeeping and maintenance.	Pattern	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Minimal harm or potential for actual harm
1) Develop a complete care plan	Isolated	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507		
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/20/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/02/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/02/2009
TACOMA	WA	98404	(253) 475-2507	01/30/2009	03/02/2009
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
properly maintained smoke detectors.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Pattern	Minimal harm or potential for actual harm
approved construction type or materials.	Pattern	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Widespread	Minimal harm or potential for actual harm
properly located and lighted "Exit" signs.	Pattern	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010
TACOMA	WA	98404	(253) 475-2507	02/02/2010	02/25/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

signs.		harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved automatic sprinkler system connected to the fire alarm system.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm
no-smoking signs where oxygen is used.	Pattern	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
back-up procedures in place for a faulty automatic sprinkler system.	Widespread	Minimal harm or potential for actual harm
an approved back-up procedure for a faulty fire alarm system.	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
--------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Mistreatment Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Isolated	Minimal harm or potential for actual harm
Provide social services for related medical problems to help each resident achieve the highest possible quality of life.	Isolated	Minimal harm or potential for actual harm
Provide needed housekeeping and maintenance.	Pattern	Minimal harm or potential for actual harm
1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
TACOMA	WA	98404	(253) 475-2507	02/09/2010	02/23/2010
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Nutrition and Dietary Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Environmental Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.

Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.

Pattern

Minimal harm or potential for actual harm

Store, cook, and give out food in a safe and clean way.

Pattern

Minimal harm or potential for actual harm

Get rid of garbage properly.

Pattern

Minimal harm or potential for actual harm

Give or get dental care for each resident.

Isolated

Minimal harm or potential for actual harm

Keep all essential equipment working safely.

Pattern

Minimal harm or potential for actual harm

Provide at least one room to use as a dining room and for activities, that is a good size, with good lighting, airflow and furniture.

Pattern

Minimal harm or potential for actual harm

approved construction type or materials.

Isolated

Minimal harm or potential for actual harm

corridor and hallway doors that block smoke.

Pattern

Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	03/24/2011	04/27/2011
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Smoke Compartmentation and Control Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Hazardous Area Deficiencies

Health

Resident Rights Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

block smoke.		harm
smoke barrier doors that can resist smoke for at least 20 minutes.	Pattern	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm
proper medical gas storage and administration areas.	Widespread	Immediate jeopardy to resident health or safety
no-smoking signs where oxygen is used.	Widespread	Immediate jeopardy to resident health or safety
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
properly installed hallway dispensers for alcohol-based hand rub.	Isolated	Minimal harm or potential for actual harm
Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply	Widespread	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Rights Deficiencies

Health

Resident Rights Deficiencies

Health

Environmental Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.

Immediately tell the resident, doctor, and a family member if: the resident is injured, there is a major change in resident's physical/mental health, there is a need to alter treatment significantly, or the resident must be transferred or discharged.

Isolated

Minimal harm or potential for actual harm

Provide care in a way that keeps or builds each resident's dignity and self respect.

Isolated

Minimal harm or potential for actual harm

Provide needed housekeeping and maintenance.

Pattern

Minimal harm or potential for actual harm

Make a complete assessment that covers all questions for areas that are listed in official regulations.

Isolated

Minimal harm or potential for actual harm

Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.

Isolated

Minimal harm or potential for actual harm

1) Develop a complete care plan

Isolated

Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
--------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.		harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Make sure that residents who cannot care for themselves receive help with eating/drinking, grooming and hygiene.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident gets help to keep vision and hearing.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Give proper treatment to residents with feeding tubes to prevent problems (such as	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
--------	-----------------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Environmental Deficiencies
--------	----------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Pharmacy Service Deficiencies
--------	-------------------------------

Health	Pharmacy Service Deficiencies
--------	-------------------------------

Health	Pharmacy Service Deficiencies
--------	-------------------------------

Health	Pharmacy Service Deficiencies
--------	-------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Make sure that the nursing home area is free of dangers that cause accidents.	Widespread	Immediate jeopardy to resident health or safety
Make sure that each resident's nutritional needs were met.	Isolated	Minimal harm or potential for actual harm
Give each resident enough fluids to keep them healthy and prevent dehydration.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Pattern	Minimal harm or potential for actual harm
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Isolated	Minimal harm or potential for actual harm
Make sure that residents are safe from serious medication errors.	Isolated	Minimal harm or potential for actual harm
At least once a month, have a	Isolated	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505264	AVAMERE SKILLED NURSING OF TACOMA	3625 EAST B STREET
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
TACOMA	WA	98404	(253) 475-2507	04/06/2011	01/01/1900
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	09/19/2008
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	08/20/2008
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	09/19/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

Health

Administration Deficiencies

Health

Administration Deficiencies

Health

Administration Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

licensed pharmacist check the drugs that each resident takes.		harm
Properly mark drugs and other similar products.	Isolated	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
Make sure that a working call system is available in each resident's room or bathroom and bathing area.	Isolated	Minimal harm or potential for actual harm
Follow all laws and professional standards.	Widespread	Minimal harm or potential for actual harm
1) Review the work of each nurse aide every year; or 2) give regular training for the nurse aides.	Widespread	Minimal harm or potential for actual harm
Keep accurate and appropriate medical records.	Pattern	Minimal harm or potential for actual harm
Set up or keep a group of people to review and ensure quality.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Widespread	Minimal harm or potential for actual harm
properly located and lighted "Exit" signs.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SEQUIM	WA	98382	(360) 582-3900	08/20/2008	09/19/2008
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	10/03/2008
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	09/19/2008
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	09/19/2008
SEQUIM	WA	98382	(360) 582-3900	08/20/2008	10/02/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Hazardous Area Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
properly installed hallway dispensers for alcohol-based hand rub.	Widespread	Minimal harm or potential for actual harm
Provide care in a way that keeps or builds each resident's dignity and self respect.	Isolated	Minimal harm or potential for actual harm
Provide activities to meet the needs of each resident.	Isolated	Minimal harm or potential for actual harm
Do a new assessment after any major change in a resident's physical or mental health.	Isolated	Minimal harm or potential for actual harm
Make sure that residents who cannot care for themselves receive help with eating/drinking, grooming and hygiene.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	08/22/2008	10/05/2008
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	07/31/2009
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	07/31/2009
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	07/31/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Quality Care Deficiencies
--------	---------------------------

Health	Environmental Deficiencies
--------	----------------------------

Health	Nutrition and Dietary Deficiencies
--------	------------------------------------

Health	Environmental Deficiencies
--------	----------------------------

Health	Environmental Deficiencies
--------	----------------------------

Health	Administration Deficiencies
--------	-----------------------------

Health	Resident Rights Deficiencies
--------	------------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

grooming and hygiene.

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Make sure that the nursing home area is free of dangers that cause accidents.	Pattern	Minimal harm or potential for actual harm
---	---------	---

Store, cook, and give out food in a safe and clean way.	Widespread	Potential for minimal harm
---	------------	----------------------------

Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Widespread	Minimal harm or potential for actual harm
---	------------	---

Train all employees on what to do in an emergency.	Pattern	Minimal harm or potential for actual harm
--	---------	---

Provide care in a way that keeps or builds each resident's dignity and self respect.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
---	----------	---

avamere sort

Based on Nursing Home Compare - Survey Deficiency

505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF	1000 5TH AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SEQUIM	WA	98382	(360) 582-3900	06/18/2009	07/31/2009
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	07/31/2009
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	07/31/2009
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	06/30/2009
SEQUIM	WA	98382	(360) 582-3900	06/18/2009	06/30/2009
SEQUIM	WA	98382	(360) 582-3900	04/26/2010	05/14/2010
SEQUIM	WA	98382	(360) 582-3900	04/26/2010	05/14/2010
SEQUIM	WA	98382	(360) 582-3900	04/26/2010	05/14/2010
SEQUIM	WA	98382	(360) 582-3900	04/26/2010	05/14/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Environmental Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Environmental Deficiencies

Fire Safety

Vertical Openings Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

sores or heal existing bed sores.

Make sure that the nursing home area is free of dangers that cause accidents.

Isolated

Minimal harm or potential for actual harm

Store, cook, and give out food in a safe and clean way.

Widespread

Minimal harm or potential for actual harm

Have a program to keep infection from spreading.

Widespread

Potential for minimal harm

proper stairway enclosures and vertical shafts.

Pattern

Potential for minimal harm

automatic sprinkler systems that have been maintained in working order.

Pattern

Potential for minimal harm

approved construction type or materials.

Isolated

Minimal harm or potential for actual harm

corridor and hallway doors that block smoke.

Isolated

Minimal harm or potential for actual harm

exits that are accessible at all times.

Widespread

Minimal harm or potential for actual harm

properly installed electrical wiring and equipment.

Pattern

Minimal harm or potential for actual harm

Do a new assessment after any major change in a resident's physical or mental health.

Isolated

Minimal harm or potential for actual harm

Give professional services that

Pattern

Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

	SEQUIM	SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
505327	AVAMERE OLYMPIC REHABILITATION OF SEQUIM	1000 5TH AVENUE SOUTH
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
SEQUIM	WA	98382	(360) 582-3900	04/29/2010	06/29/2010
MEDFORD	OR	97504	(541) 773-7717	08/04/2008	08/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Quality Care Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Resident Assessment Deficiencies

Health

Environmental Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

meet a professional standard of quality.		harm
Give each resident care and services to get or keep the highest quality of life possible.	Pattern	Minimal harm or potential for actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident's nutritional needs were met.	Isolated	Actual harm
Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
Make sure that doctors visit residents regularly, as required.	Isolated	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Pattern	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Minimal harm or potential for actual harm
Do a new assessment after any major change in a resident's physical or mental health.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/07/2008	09/26/2008
MEDFORD	OR	97504	(541) 773-7717	08/20/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	08/20/2009	10/23/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Pattern	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Keep assessments completed in the preceding 15 months in the resident's active record.	Pattern	Minimal harm or potential for actual harm
Make sure that residents receive treatment/services to continue to be able to care for themselves, unless a change is unavoidable.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Make sure that residents are safe from serious medication errors.	Isolated	Minimal harm or potential for actual harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency	Widespread	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385126	AVAMERE AT THREE FOUNTAINS	AVENUE 835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

MEDFORD	OR	97504	(541) 773-7717	08/20/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	08/20/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	09/03/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	09/03/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	09/03/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	09/03/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	09/03/2009	10/23/2009
MEDFORD	OR	97504	(541) 773-7717	08/26/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/26/2010	10/15/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Resident Assessment Deficiencies

Health

Environmental Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

evacuation plan.		harm
restrictions on the use of highly flammable materials.	Pattern	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Pattern	Minimal harm or potential for actual harm
Make sure that each resident's nutritional needs were met.	Isolated	Minimal harm or potential for actual harm
Make sure that doctors visit residents regularly, as required.	Pattern	Potential for minimal harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Pattern	Minimal harm or potential for actual harm
Listen to the resident or family groups or act on their complaints or suggestions.	Pattern	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

MEDFORD	OR	97504	(541) 773-7717	08/26/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/26/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/26/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Hazardous Area Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Widespread	Potential for minimal harm
a two-hour-resistant firewall in common walls.	Isolated	Minimal harm or potential for actual harm
approved construction type or materials.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Widespread	Minimal harm or potential for actual harm
construction that can resist fire for one hour or an approved fire extinguishing system.	Isolated	Minimal harm or potential for actual harm
resident room doors of proper design and width.	Isolated	Minimal harm or potential for actual harm
properly located and lighted "Exit" signs.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

		AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Smoking Regulations Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

signs.		harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Isolated	Minimal harm or potential for actual harm
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385126	AVAMERE AT THREE FOUNTAINS	835 CRATER LAKE AVENUE
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
MEDFORD	OR	97504	(541) 773-7717	08/30/2010	10/15/2010
JUNCTION CITY	OR	97448	(541) 998-2395	08/28/2008	10/15/2008
JUNCTION CITY	OR	97448	(541) 998-2395	09/03/2008	10/27/2008
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Hazardous Area Deficiencies

Health

Resident Rights Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Health

Resident Rights Deficiencies

Health

Resident Rights Deficiencies

Health

Environmental Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

all times.		
proper medical gas storage and administration areas.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
back-up procedures in place for a faulty automatic sprinkler system.	Widespread	Minimal harm or potential for actual harm
an approved back-up procedure for a faulty fire alarm system.	Widespread	Minimal harm or potential for actual harm
properly installed hallway dispensers for alcohol-based hand rub.	Widespread	Minimal harm or potential for actual harm
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Widespread	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Pattern	Minimal harm or potential for actual harm
Send and promptly deliver unopened mail to residents.	Widespread	Potential for minimal harm
Provide care in a way that keeps or builds each resident's dignity and self respect.	Pattern	Minimal harm or potential for actual harm
Provide needed housekeeping and maintenance.	Pattern	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	10/30/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/21/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/26/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	08/26/2009	09/29/2009
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Pattern	Minimal harm or potential for actual harm
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Pattern	Minimal harm or potential for actual harm
Store, cook, and give out food in a safe and clean way.	Widespread	Potential for minimal harm
Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.	Widespread	Minimal harm or potential for actual harm
exits that are accessible at all times.	Pattern	Minimal harm or potential for actual harm
properly maintained smoke detectors.	Widespread	Minimal harm or potential for actual harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

	CITY	
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385229	AVAMERE REHABILITATION OF JUNCTION CITY	530 BIRCH STREET
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD

avamere sort

Based on Nursing Home Compare - Survey Deficiency

JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
JUNCTION CITY	OR	97448	(541) 998-2395	11/09/2010	12/24/2010
COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008
COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008
COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008
COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

each shift under varying conditions.		harm
an approved installation, maintenance and testing program for fire alarm systems.	Pattern	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
restrictions on the use of highly flammable materials.	Widespread	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Pattern	Minimal harm or potential for actual harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
an approved automatic sprinkler system connected to the fire alarm system.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
--------	------------------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008
COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008
COOS BAY	OR	97420	(541) 267-2161	04/08/2008	05/28/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Miscellaneous Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Health

Mistreatment Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Pharmacy Service Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

fire safety features required by current fire safety codes.	Isolated	Minimal harm or potential for actual harm
back-up procedures in place for a faulty automatic sprinkler system.	Widespread	Minimal harm or potential for actual harm
an approved back-up procedure for a faulty fire alarm system.	Widespread	Minimal harm or potential for actual harm
Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Pattern	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Pattern	Minimal harm or potential for actual harm
Give or get dental care for each resident.	Isolated	Minimal harm or potential for actual harm
Properly mark drugs and other	Pattern	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385239	AVAMERE REHABILITATION OF COOS BAY	2625 KOOS BAY BLVD
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

COOS BAY	OR	97420	(541) 267-2161		
COOS BAY	OR	97420	(541) 267-2161	04/10/2008	06/17/2008
COOS BAY	OR	97420	(541) 267-2161	04/30/2009	06/08/2009
COOS BAY	OR	97420	(541) 267-2161	04/30/2009	06/08/2009
COOS BAY	OR	97420	(541) 267-2161	04/30/2009	06/08/2009
COOS BAY	OR	97420	(541) 267-2161	02/25/2010	04/05/2010
COOS BAY	OR	97420	(541) 267-2161	03/02/2010	04/05/2010
COOS BAY	OR	97420	(541) 267-2161	03/02/2010	04/05/2010
COOS BAY	OR	97420	(541) 267-2161	03/02/2010	04/05/2010
EUGENE	OR	97405	(541) 687-1310	08/12/2008	09/25/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Electrical Deficiencies

Health

Quality Care Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Properly mark drugs and other similar products.	Pattern	Minimal harm or potential for actual harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Pattern	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Pattern	Minimal harm or potential for actual harm
exits that are accessible at all times.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97405	(541) 687-1310	08/12/2008	09/25/2008
EUGENE	OR	97405	(541) 687-1310	08/12/2008	09/25/2008
EUGENE	OR	97405	(541) 687-1310	08/12/2008	09/25/2008
EUGENE	OR	97405	(541) 687-1310	10/06/2009	11/19/2009
EUGENE	OR	97405	(541) 687-1310	10/06/2009	11/19/2009
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Emergency Plans and Fire Drills Deficiencies
Fire Safety	Automatic Sprinkler Systems Deficiencies
Fire Safety	Furnishings and Decorations Deficiencies
Fire Safety	Emergency Plans and Fire Drills Deficiencies
Fire Safety	Fire Alarm Systems Deficiencies
Fire Safety	Building Construction Deficiencies
Fire Safety	Vertical Openings Deficiencies
Fire Safety	Exits and Egress Deficiencies
Fire Safety	Illumination and Emergency Power Deficiencies
Fire Safety	Illumination and Emergency Power Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
an approved back-up procedure for a faulty fire alarm system.	Widespread	Minimal harm or potential for actual harm
approved construction type or materials.	Widespread	Minimal harm or potential for actual harm
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Pattern	Minimal harm or potential for actual harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Isolated	Minimal harm or potential for actual harm
proper backup exit lighting.	Widespread	Minimal harm or potential for actual harm
properly located and lighted "Exit" signs.	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

Fire Safety	Fire Alarm Systems Deficiencies
-------------	---------------------------------

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Smoking Regulations Deficiencies
-------------	----------------------------------

Fire Safety	Building Service Equipment Deficiencies
-------------	---

Fire Safety	Building Service Equipment Deficiencies
-------------	---

avamere sort

Based on Nursing Home Compare - Survey Deficiency

did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Immediate jeopardy to resident health or safety
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Immediate jeopardy to resident health or safety
an approved automatic sprinkler system connected to the fire alarm system.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Immediate jeopardy to resident health or safety
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Isolated	Minimal harm or potential for actual harm
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Isolated	Minimal harm or potential for actual harm
properly protected cooking	Isolated	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97405	(541) 687-1310		
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	12/15/2010
EUGENE	OR	97405	(541) 687-1310	09/22/2010	11/12/2010
EUGENE	OR	97405	(541) 687-1310	09/23/2010	11/17/2010
EUGENE	OR	97405	(541) 687-1310	09/23/2010	11/17/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Hazardous Area Deficiencies

Health

Mistreatment Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm
restrictions on the use of highly flammable materials.	Widespread	Minimal harm or potential for actual harm
proper medical gas storage and administration areas.	Pattern	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Immediate jeopardy to resident health or safety
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
properly installed hallway dispensers for alcohol-based hand rub.	Isolated	Minimal harm or potential for actual harm
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Isolated	Minimal harm or potential for actual harm
Make sure all assessments are accurate, coordinated by an RN, done by the right professional,	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
--------	----------------------------------	----------------------

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
--------	----------------------------------	----------------------

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
--------	----------------------------------	----------------------

385053	AVAMERE REHABILITATION OF EUGENE	2360 CHAMBERS STREET
--------	----------------------------------	----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	--------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	--------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97405	(541) 687-1310	09/23/2010	11/17/2010
--------	----	-------	----------------	------------	------------

EUGENE	OR	97405	(541) 687-1310	09/23/2010	11/17/2010
--------	----	-------	----------------	------------	------------

EUGENE	OR	97405	(541) 687-1310	09/23/2010	11/17/2010
--------	----	-------	----------------	------------	------------

EUGENE	OR	97405	(541) 687-1310	09/23/2010	11/17/2010
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	04/08/2008	05/28/2008
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	04/08/2008	05/28/2008
--------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

done by the right professional, and are signed by the person completing them.		
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	-----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	-----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	-----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	-----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	-----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
--------	-----------------------------	-----------------------

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER
--------	-----------------------------	---------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97401	(541) 345-6199	04/08/2008	05/28/2008
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	04/08/2008	05/28/2008
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	03/11/2009	04/06/2009
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	03/12/2009	05/01/2009
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	03/12/2009	05/01/2009
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	03/12/2009	05/01/2009
--------	----	-------	----------------	------------	------------

EUGENE	OR	97401	(541) 345-6199	03/12/2009	05/01/2009
--------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Environmental Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Smoke Compartmentation and Control Deficiencies

Health

Mistreatment Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Actual harm
Make sure that residents are safe from serious medication errors.	Isolated	Minimal harm or potential for actual harm
proper construction of ducts through walls designed to prevent smoke passage.	Widespread	Minimal harm or potential for actual harm
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Develop/implement required	Pattern	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

		LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Rights Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

procedures for the administration of immunizations.		
Provide services to meet the needs and preferences of each resident.	Isolated	Minimal harm or potential for actual harm
Check and update (if needed) each resident's assessment every 3 months.	Pattern	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Pattern	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Pattern	Minimal harm or potential for actual harm
Make sure that each resident's nutritional needs were met.	Isolated	Minimal harm or potential for actual harm
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385185	AVAMERE RIVERPARK OF EUGENE	425 ALEXANDER LOOP
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/13/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/18/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/18/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/18/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/18/2010	06/16/2010
EUGENE	OR	97401	(541) 345-6199	05/18/2010	06/16/2010
SWEET HOME	OR	97386	(541) 367-2191	10/23/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Pharmacy Service Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Administration Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Health

Quality Care Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exits and Egress Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

care, and prostheses.

Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Pattern	Minimal harm or potential for actual harm
--	---------	---

Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
---	------------	---

Keep accurate and appropriate medical records.	Isolated	Minimal harm or potential for actual harm
--	----------	---

proper exit design.	Isolated	Minimal harm or potential for actual harm
---------------------	----------	---

properly located and lighted "Exit" signs.	Widespread	Minimal harm or potential for actual harm
--	------------	---

did not have a written emergency evacuation plan.	Pattern	Minimal harm or potential for actual harm
---	---------	---

weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
---	------------	---

properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
--	----------	---

corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
--	----------	---

exits that are accessible at all times.	Isolated	Minimal harm or potential for actual harm
---	----------	---

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	10/29/2008	12/05/2008
SWEET HOME	OR	97386	(541) 367-2191	11/05/2009	12/01/2009
SWEET HOME	OR	97386	(541) 367-2191	11/05/2009	12/01/2009
SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Illumination and Emergency Power Deficiencies
-------------	---

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

Fire Safety	Fire Alarm Systems Deficiencies
-------------	---------------------------------

Fire Safety	Smoking Regulations Deficiencies
-------------	----------------------------------

Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies
-------------	--

Fire Safety	Electrical Deficiencies
-------------	-------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Resident Assessment Deficiencies
--------	----------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

emergency lighting that can last at least 1 1/2 hours.	Pattern	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
properly maintained smoke detectors.	Widespread	Minimal harm or potential for actual harm
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Pattern	Minimal harm or potential for actual harm
proper medical gas storage and administration areas.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Pattern	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385242	AVAMERE TWIN OAKS OF SWEET HOME	950 NANDINA DRIVE
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

SWEET HOME	OR	97386	(541) 367-2191	12/09/2010	01/19/2011
------------	----	-------	----------------	------------	------------

NEWPORT	OR	97365	(541) 265-5356	10/14/2008	11/05/2008
---------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Exits and Egress Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
corridors or aisles that are unobstructed and are at least 8	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

NEWPORT	OR	97365	(541) 265-5356	10/14/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/14/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/15/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/15/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/15/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/15/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/15/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/15/2008	11/05/2008
NEWPORT	OR	97365	(541) 265-5356	10/28/2009	11/02/2009
NEWPORT	OR	97365	(541) 265-5356	10/28/2009	11/02/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Pharmacy Service Deficiencies

Health

Resident Assessment Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Smoke Compartmentation and Control Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

feet in width.

exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm
---	----------	---

properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Give each resident care and services to get or keep the highest quality of life possible.	Pattern	Minimal harm or potential for actual harm
---	---------	---

Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Make sure that doctors visit residents regularly, as required.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Have a program to keep infection from spreading.	Widespread	Minimal harm or potential for actual harm
--	------------	---

Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Isolated	Minimal harm or potential for actual harm
---	----------	---

corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
--	----------	---

smoke barrier doors that can	Widespread	Minimal harm or potential for actual
------------------------------	------------	--------------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

NEWPORT	OR	97365	(541) 265-5356	10/28/2009	11/02/2009
NEWPORT	OR	97365	(541) 265-5356	10/28/2009	11/02/2009
NEWPORT	OR	97365	(541) 265-5356	11/30/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	11/30/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	11/30/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	11/30/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	11/30/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	12/03/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	12/03/2010	01/07/2011
NEWPORT	OR	97365	(541) 265-5356	12/03/2010	01/07/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Miscellaneous Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

resist smoke for at least 20 minutes.		harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
fire safety features required by current fire safety codes.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Widespread	Minimal harm or potential for actual harm
restrictions on the use of highly flammable materials.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
Provide care in a way that keeps or builds each resident's dignity and self respect.	Pattern	Potential for minimal harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Make sure that residents receive	Pattern	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
--------	-----------------------------------	--------------------

385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
--------	-----------------------------------	--------------------

385162	AVAMERE REHABILITATION OF NEWPORT	835 SW 11TH STREET
--------	-----------------------------------	--------------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

NEWPORT	OR	97365	(541) 265-5356	12/03/2010	01/07/2011
---------	----	-------	----------------	------------	------------

NEWPORT	OR	97365	(541) 265-5356	12/03/2010	01/07/2011
---------	----	-------	----------------	------------	------------


NEWPORT	OR	97365	(541) 265-5356	12/03/2010	01/07/2011
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	01/10/2008	02/22/2008
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	01/10/2008	02/22/2008
---------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency



Health

Quality Care Deficiencies



Health

Pharmacy Service Deficiencies



Health

Pharmacy Service Deficiencies



Health

Mistreatment Deficiencies



Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

treatment/services to continue to be able to care for themselves, unless a change is unavoidable.		harm
Give the right treatment and services to residents who have mental or social problems adjusting.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Properly mark drugs and other similar products.	Isolated	Minimal harm or potential for actual harm
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Isolated	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

LEBANON	OR	97355	(541) 259-1221	01/10/2008	02/22/2008
LEBANON	OR	97355	(541) 259-1221	01/10/2008	02/22/2008
LEBANON	OR	97355	(541) 259-1221	01/10/2008	02/22/2008
LEBANON	OR	97355	(541) 259-1221	01/15/2008	02/29/2008
LEBANON	OR	97355	(541) 259-1221	01/15/2008	02/29/2008
LEBANON	OR	97355	(541) 259-1221	01/15/2008	02/29/2008
LEBANON	OR	97355	(541) 259-1221	01/15/2008	02/29/2008
LEBANON	OR	97355	(541) 259-1221	01/15/2008	02/29/2008
LEBANON	OR	97355	(541) 259-1221	01/27/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/27/2009	03/20/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Administration Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

regulations.

Check and update (if needed) each resident's assessment every 3 months.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Develop/implement required procedures for the administration of immunizations.	Widespread	Potential for minimal harm
--	------------	----------------------------

Give or get lab tests to meet the needs of residents.	Isolated	Minimal harm or potential for actual harm
---	----------	---

a fire alarm system that can be heard throughout the facility.	Isolated	Minimal harm or potential for actual harm
--	----------	---

an approved automatic sprinkler system connected to the fire alarm system.	Isolated	Minimal harm or potential for actual harm
--	----------	---

heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Isolated	Minimal harm or potential for actual harm
---	----------	---

restrictions on the use of flammable curtains.	Isolated	Minimal harm or potential for actual harm
--	----------	---

proper power supply for life support equipment.	Widespread	Minimal harm or potential for actual harm
---	------------	---

did not have a written emergency evacuation plan.	Pattern	Minimal harm or potential for actual harm
---	---------	---

record of quarterly fire drills for	Widespread	Minimal harm or potential for actual
-------------------------------------	------------	--------------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

LEBANON	OR	97355	(541) 259-1221	01/27/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/27/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/27/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/27/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/29/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/29/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/29/2009	03/20/2009
LEBANON	OR	97355	(541) 259-1221	01/29/2009	03/20/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Pharmacy Service Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

each shift under varying conditions.		harm
an approved automatic sprinkler system connected to the fire alarm system.	Pattern	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
Do a new assessment after any major change in a resident's physical or mental health.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Pattern	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or	Pattern	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
--------	-----------------------------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

LEBANON	OR	97355	(541) 259-1221	02/24/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
---------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Smoking Regulations Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

is carefully watched; or 3) stop or change drugs that cause unwanted effects.

Give each resident care and services to get or keep the highest quality of life possible.

Isolated

Minimal harm or potential for actual harm

corridor and hallway doors that block smoke.

Isolated

Minimal harm or potential for actual harm

corridors or aisles that are unobstructed and are at least 8 feet in width.

Pattern

Minimal harm or potential for actual harm

did not have a written emergency evacuation plan.

Widespread

Minimal harm or potential for actual harm

an approved installation, maintenance and testing program for fire alarm systems.

Widespread

Minimal harm or potential for actual harm

an approved automatic sprinkler system connected to the fire alarm system.

Widespread

Minimal harm or potential for actual harm

portable fire extinguishers.

Isolated

Minimal harm or potential for actual harm

posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.

Pattern

Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
385168	AVAMERE REHABILITATION OF LEBANON	350 S. 8TH
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
LEBANON	OR	97355	(541) 259-1221	03/01/2010	04/15/2010
KEIZER	OR	97303	(503) 393-3624	12/29/2008	01/12/2009
KEIZER	OR	97303	(503) 393-3624	12/29/2008	01/12/2009
KEIZER	OR	97303	(503) 393-3624	12/29/2008	01/12/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

allowed.

heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Isolated	Minimal harm or potential for actual harm
---	----------	---

properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
--	----------	---

restrictions on the use of highly flammable materials.	Widespread	Minimal harm or potential for actual harm
--	------------	---

proper medical gas storage and administration areas.	Pattern	Minimal harm or potential for actual harm
--	---------	---

properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
---	------------	---

back-up procedures in place for a faulty automatic sprinkler system.	Widespread	Minimal harm or potential for actual harm
--	------------	---

an approved back-up procedure for a faulty fire alarm system.	Widespread	Minimal harm or potential for actual harm
---	------------	---

approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
--	----------	---

corridors or aisles that are unobstructed and are at least 8 feet in width.	Pattern	Minimal harm or potential for actual harm
---	---------	---

an approved installation, maintenance and testing program for fire alarm systems.	Isolated	Minimal harm or potential for actual harm
---	----------	---

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

KEIZER	OR	97303	(503) 393-3624	12/29/2008	01/12/2009
KEIZER	OR	97303	(503) 393-3624	12/02/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/02/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/02/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Automatic Sprinkler Systems Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exit and Exit Access Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Make sure that residents are safe from serious medication errors.	Isolated	Minimal harm or potential for actual harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Pattern	Minimal harm or potential for actual harm
at least two remote exits on each floor or fire section of the building.	Isolated	Minimal harm or potential for actual harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Isolated	Minimal harm or potential for actual harm
properly located and lighted "Exit" signs.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/09/2009	01/21/2010
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Fire Alarm Systems Deficiencies
Fire Safety	Fire Alarm Systems Deficiencies
Fire Safety	Automatic Sprinkler Systems Deficiencies
Fire Safety	Automatic Sprinkler Systems Deficiencies
Fire Safety	Building Service Equipment Deficiencies
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies
Fire Safety	Smoke Compartmentation and Control Deficiencies
Fire Safety	Miscellaneous Deficiencies
Fire Safety	Building Construction Deficiencies
Fire Safety	Corridor Walls and Doors Deficiencies
Fire Safety	Corridor Walls and Doors Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

an approved installation, maintenance and testing program for fire alarm systems.	Pattern	Minimal harm or potential for actual harm
properly maintained smoke detectors.	Widespread	Minimal harm or potential for actual harm
properly working alarms on sprinkler valves.	Pattern	Minimal harm or potential for actual harm
portable fire extinguishers.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
proper medical gas storage and administration areas.	Pattern	Minimal harm or potential for actual harm
proper construction of ducts through walls designed to prevent smoke passage.	Widespread	Minimal harm or potential for actual harm
fire safety features required by current fire safety codes.	Isolated	Minimal harm or potential for actual harm
a two-hour-resistant firewall in common walls.	Isolated	Minimal harm or potential for actual harm
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that	Pattern	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

block smoke.		harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Pattern	Minimal harm or potential for actual harm
properly located and lighted "Exit" signs.	Widespread	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
an approved automatic sprinkler system connected to the fire alarm system.	Isolated	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Isolated	Minimal harm or potential for actual harm
exits that are free from obstructions and can be used at all times.	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385233	AVAMERE COURT AT KEIZER	5210 RIVER ROAD N.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/28/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/30/2010	02/18/2011
KEIZER	OR	97303	(503) 393-3624	12/30/2010	02/18/2011
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Hazardous Area Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Mistreatment Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

restrictions on the use of highly flammable materials.	Widespread	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
properly installed hallway dispensers for alcohol-based hand rub.	Isolated	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident's nutritional needs were met.	Isolated	Minimal harm or potential for actual harm
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Isolated	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Resident Assessment Deficiencies
--------	----------------------------------

Health	Resident Assessment Deficiencies
--------	----------------------------------

Health	Resident Assessment Deficiencies
--------	----------------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Environmental Deficiencies
--------	----------------------------

Health	Pharmacy Service Deficiencies
--------	-------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Assess the resident when the resident enters the nursing home, in a timely manner.	Isolated	Minimal harm or potential for actual harm
Do a new assessment after any major change in a resident's physical or mental health.	Isolated	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Immediate jeopardy to resident health or safety
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Immediate jeopardy to resident health or safety
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	08/07/2008	09/26/2008
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Administration Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Resident Assessment Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Vertical Openings Deficiencies

Fire Safety

Exits and Egress Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Use a registered nurse at least 8 hours a day, 7 days a week.	Isolated	Minimal harm or potential for actual harm
post nurse staffing information.	Pattern	Minimal harm or potential for actual harm
Store, cook, and give out food in a safe and clean way.	Isolated	Minimal harm or potential for actual harm
Make sure that doctors visit residents regularly, as required.	Isolated	Minimal harm or potential for actual harm
Keep all essential equipment working safely.	Isolated	Minimal harm or potential for actual harm
Be administered in a way that leads to the highest possible level of well being for each resident.	Isolated	Immediate jeopardy to resident health or safety
automatic sprinkler systems that have been maintained in working order.	Pattern	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Pattern	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Pattern	Minimal harm or potential for actual harm
exits that are accessible at all	Widespread	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

		S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

times.		harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Widespread	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm
properly protected cooking facilities.	Widespread	Minimal harm or potential for actual harm
restrictions on the use of highly flammable materials.	Widespread	Minimal harm or potential for actual harm
proper medical gas storage and administration areas.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
--------	---------------------------------	-------------------------

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
--------	---------------------------------	-------------------------

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
--------	---------------------------------	-------------------------

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
--------	---------------------------------	-------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SALEM	OR	97302	(503) 581-8667	06/22/2009	08/12/2009
-------	----	-------	----------------	------------	------------

SALEM	OR	97302	(503) 581-8667	06/25/2009	08/12/2009
-------	----	-------	----------------	------------	------------

SALEM	OR	97302	(503) 581-8667	06/25/2009	08/12/2009
-------	----	-------	----------------	------------	------------

SALEM	OR	97302	(503) 581-8667	06/25/2009	08/12/2009
-------	----	-------	----------------	------------	------------

SALEM	OR	97302	(503) 581-8667	06/25/2009	08/12/2009
-------	----	-------	----------------	------------	------------

SALEM	OR	97302	(503) 581-8667	06/10/2010	07/19/2010
-------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Electrical Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Resident Rights Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.	Pattern	Potential for minimal harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Provide a final summary of the resident's health status and a summary of the resident's stay, when the resident is ready to leave the nursing home.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385234	AVAMERE REHABILITATION OF SALEM	4120 KURTH STREET S.
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY

avamere sort

Based on Nursing Home Compare - Survey Deficiency

SALEM	OR	97302	(503) 581-8667	06/10/2010	07/19/2010
SALEM	OR	97302	(503) 581-8667	06/10/2010	07/19/2010
SALEM	OR	97302	(503) 581-8667	06/10/2010	07/19/2010
SALEM	OR	97302	(503) 581-8667	06/10/2010	07/19/2010
SALEM	OR	97302	(503) 581-8667	06/14/2010	07/30/2010
SALEM	OR	97302	(503) 581-8667	06/14/2010	07/30/2010
SALEM	OR	97302	(503) 581-8667	06/14/2010	07/30/2010
SALEM	OR	97302	(503) 581-8667	06/14/2010	07/30/2010
SALEM	OR	97302	(503) 581-8667	06/14/2010	07/30/2010
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Administration Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Illumination and Emergency Power Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Exits and Egress Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

for Medicaid, along with the names and addresses of State groups that can help.

Give professional services that meet a professional standard of quality.

Isolated

Minimal harm or potential for actual harm

Give each resident care and services to get or keep the highest quality of life possible.

Pattern

Minimal harm or potential for actual harm

Store, cook, and give out food in a safe and clean way.

Widespread

Minimal harm or potential for actual harm

Keep accurate and appropriate medical records.

Widespread

Potential for minimal harm

exits that are accessible at all times.

Pattern

Minimal harm or potential for actual harm

properly located and lighted "Exit" signs.

Isolated

Minimal harm or potential for actual harm

properly protected cooking facilities.

Isolated

Minimal harm or potential for actual harm

weekly inspections and monthly testing of generators.

Widespread

Minimal harm or potential for actual harm

properly installed electrical wiring and equipment.

Isolated

Minimal harm or potential for actual harm

corridors or aisles that are unobstructed and are at least 8

Widespread

Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/23/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	08/04/2008	10/15/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Illumination and Emergency Power Deficiencies
-------------	---

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

Fire Safety	Fire Alarm Systems Deficiencies
-------------	---------------------------------

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Smoking Regulations Deficiencies
-------------	----------------------------------

Fire Safety	Furnishings and Decorations Deficiencies
-------------	--

Fire Safety	Electrical Deficiencies
-------------	-------------------------

Fire Safety	Electrical Deficiencies
-------------	-------------------------

Health	Quality Care Deficiencies
--------	---------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

feet in width.		
properly located and lighted "Exit" signs.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
properly maintained smoke detectors.	Pattern	Minimal harm or potential for actual harm
an approved automatic sprinkler system connected to the fire alarm system.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Isolated	Immediate jeopardy to resident health or safety
exits that are free from obstructions and can be used at all times.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Pattern	Minimal harm or potential for actual harm
Give each resident care and	Isolated	Actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

		HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TIGARD	OR	97224	(503) 620-5141	08/04/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	08/04/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	08/04/2008	09/03/2008
TIGARD	OR	97224	(503) 620-5141	07/21/2009	09/12/2009
TIGARD	OR	97224	(503) 620-5141	07/21/2009	09/12/2009
TIGARD	OR	97224	(503) 620-5141	07/21/2009	09/12/2009
TIGARD	OR	97224	(503) 620-5141	07/21/2009	09/12/2009
TIGARD	OR	97224	(503) 620-5141	07/21/2009	09/12/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Environmental Deficiencies

Health

Pharmacy Service Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Interior Finish Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

services to get or keep the highest quality of life possible.		
Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Pattern	Minimal harm or potential for actual harm
Properly mark drugs and other similar products.	Pattern	Minimal harm or potential for actual harm
fire-resistant room wall surfaces.	Pattern	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Widespread	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TIGARD	OR	97224	(503) 620-5141	07/24/2009	09/12/2009
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	07/24/2009	09/12/2009
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/10/2010	09/30/2010
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/10/2010	09/30/2010
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/10/2010	09/30/2010
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/13/2010	10/02/2010
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/13/2010	10/02/2010
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/13/2010	10/02/2010
--------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Pattern	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Pattern	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Give the right treatment and services to residents who have mental or social problems	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385132	AVAMERE REHABILITATION OF KING CITY	16485 SW PACIFIC HIGHWAY
--------	-------------------------------------	-----------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH
--------	-------------------------------	--------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

TIGARD	OR	97224	(503) 620-5141	08/13/2010	10/02/2010
--------	----	-------	----------------	------------	------------

TIGARD	OR	97224	(503) 620-5141	08/13/2010	10/02/2010
--------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/11/2008	09/18/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/11/2008	09/18/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/11/2008	09/18/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Smoking Regulations Deficiencies

Health

Resident Rights Deficiencies

Health

Mistreatment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

adjusting.

1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Pattern	Minimal harm or potential for actual harm
---	---------	---

Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
--	----------	---

record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
--	------------	---

an approved automatic sprinkler system connected to the fire alarm system.	Pattern	Minimal harm or potential for actual harm
--	---------	---

posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Widespread	Minimal harm or potential for actual harm
--	------------	---

Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Pattern	Potential for minimal harm
---	---------	----------------------------

Write and use policies that forbid	Isolated	Minimal harm or potential for actual
------------------------------------	----------	--------------------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

AVENUE

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
--------	-------------------------------	------------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
----------	----	-------	----------------	------------	------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Pharmacy Service Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

mistreatment, neglect and abuse of residents and theft of residents' property.

harm

1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.

Minimal harm or potential for actual harm

Give each resident care and services to get or keep the highest quality of life possible.

Pattern

Minimal harm or potential for actual harm

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.

Isolated

Minimal harm or potential for actual harm

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.

Isolated

Minimal harm or potential for actual harm

Make sure that the nursing home area is free of dangers that cause accidents.

Pattern

Immediate jeopardy to resident health or safety

1) Make sure that residents who take drugs are not given too

Isolated

Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE

avamere sort

Based on Nursing Home Compare - Survey Deficiency

PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
PORTLAND	OR	97201	(503) 244-7533	08/20/2008	09/19/2008
PORTLAND	OR	97201	(503) 244-7533	06/26/2009	08/15/2009
PORTLAND	OR	97201	(503) 244-7533	06/26/2009	08/15/2009
PORTLAND	OR	97201	(503) 244-7533	06/26/2009	08/15/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Pharmacy Service Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

Health

Administration Deficiencies

Health

Mistreatment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.

Make sure that residents are safe from serious medication errors.	Isolated	Actual harm
---	----------	-------------

Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
---	------------	---

Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Pattern	Minimal harm or potential for actual harm
---	---------	---

Be administered in a way that leads to the highest possible level of well being for each resident.	Pattern	Immediate jeopardy to resident health or safety
--	---------	---

Keep accurate and appropriate medical records.	Pattern	Minimal harm or potential for actual harm
--	---------	---

Keep each resident free from physical restraints, unless needed for medical treatment.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Give proper treatment to residents with feeding tubes to prevent problems (such as	Isolated	Minimal harm or potential for actual harm
--	----------	---

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH

avamere sort

Based on Nursing Home Compare - Survey Deficiency

PORTLAND	OR	97201	(503) 244-7533	06/29/2009	07/09/2009
PORTLAND	OR	97201	(503) 244-7533	06/29/2009	07/09/2009
PORTLAND	OR	97201	(503) 244-7533	06/29/2009	07/09/2009
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Health

Resident Rights Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Administration Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
exits that are accessible at all times.	Isolated	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
Provide care in a way that keeps or builds each resident's dignity and self respect.	Pattern	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Minimal harm or potential for actual harm
Develop/implement required procedures for the administration of immunizations.	Isolated	Minimal harm or potential for actual harm
Properly mark drugs and other similar products.	Isolated	Minimal harm or potential for actual harm
Give or get lab tests to meet the	Isolated	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385031	AVAMERE CRESTVIEW OF PORTLAND	6530 SW 30TH AVENUE
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

PORTLAND	OR	97201	(503) 244-7533		
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
PORTLAND	OR	97201	(503) 244-7533	04/30/2010	06/02/2010
HILLSBORO	OR	97123	(503) 648-8588	05/23/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/23/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/23/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/23/2008	07/10/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health	Administration Deficiencies
Fire Safety	Corridor Walls and Doors Deficiencies
Fire Safety	Smoke Compartmentation and Control Deficiencies
Fire Safety	Automatic Sprinkler Systems Deficiencies
Fire Safety	Electrical Deficiencies
Health	Resident Rights Deficiencies
Health	Quality Care Deficiencies
Health	Quality Care Deficiencies
Health	Nutrition and Dietary Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Give or get lab tests to meet the needs of residents.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
smoke barrier doors that can resist smoke for at least 20 minutes.	Isolated	Minimal harm or potential for actual harm
an approved automatic sprinkler system connected to the fire alarm system.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
Provide services to meet the needs and preferences of each resident.	Pattern	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.	Isolated	Minimal harm or potential for actual harm
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Widespread	Potential for minimal harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/29/2008	07/10/2008
HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	08/14/2009
HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	08/14/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Illumination and Emergency Power Deficiencies
-------------	---

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

Fire Safety	Fire Alarm Systems Deficiencies
-------------	---------------------------------

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Automatic Sprinkler Systems Deficiencies
-------------	--

Fire Safety	Building Service Equipment Deficiencies
-------------	---

Fire Safety	Electrical Deficiencies
-------------	-------------------------

Fire Safety	Electrical Deficiencies
-------------	-------------------------

Fire Safety	Corridor Walls and Doors Deficiencies
-------------	---------------------------------------

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

avamere sort

Based on Nursing Home Compare - Survey Deficiency

temperature.		
proper backup exit lighting.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Isolated	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Widespread	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency	Isolated	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	05/28/2009	08/14/2009
HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

evacuation plan.		harm
portable fire extinguishers.	Isolated	Minimal harm or potential for actual harm
restrictions on the use of highly flammable materials.	Widespread	Minimal harm or potential for actual harm
proper fire barriers, ventilation and signs for the transport of oxygen.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
Check and update (if needed) each resident's assessment every 3 months.	Isolated	Minimal harm or potential for actual harm
Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.	Pattern	Minimal harm or potential for actual harm
1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
--------	-------------------------------------	-------------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	06/02/2009	07/17/2009
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Administration Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

resident's family or representative; or 3) check and update the care plan.		
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Give or get lab tests to meet the needs of residents.	Pattern	Minimal harm or potential for actual harm
approved construction type or materials.	Pattern	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
portable fire extinguishers.	Widespread	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385251	AVAMERE REHABILITATION OF HILLSBORO	650 SE OAK STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	05/28/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	06/01/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	06/01/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	06/01/2010	07/19/2010
HILLSBORO	OR	97123	(503) 648-8588	06/01/2010	07/19/2010
OREGON CITY	OR	97045	(503) 656-0367	01/16/2009	02/18/2009
OREGON CITY	OR	97045	(503) 656-0367	01/16/2009	02/18/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Furnishings and Decorations Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Electrical Deficiencies

Health

Environmental Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Resident Rights Deficiencies

Health

Mistreatment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

restrictions on the use of highly flammable materials.	Widespread	harm Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Widespread	Minimal harm or potential for actual harm
Provide needed housekeeping and maintenance.	Pattern	Minimal harm or potential for actual harm
Do a new assessment after any major change in a resident's physical or mental health.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
Bill properly: Charged resident for items that Medicare or Medicaid pays for.	Isolated	Minimal harm or potential for actual harm
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET
385125	AVAMERE REHABILITATION OF OREGON CITY	1400 DIVISION STREET

avamere sort

Based on Nursing Home Compare - Survey Deficiency

OREGON CITY	OR	97045	(503) 656-0367	01/16/2009	02/18/2009
OREGON CITY	OR	97045	(503) 656-0367	01/16/2009	02/18/2009
OREGON CITY	OR	97045	(503) 656-0367	01/16/2009	02/18/2009
OREGON CITY	OR	97045	(503) 656-0367	01/16/2009	02/18/2009
OREGON CITY	OR	97045	(503) 656-0367	12/18/2009	02/04/2010
OREGON CITY	OR	97045	(503) 656-0367	12/18/2009	02/04/2010
OREGON CITY	OR	97045	(503) 656-0367	12/18/2009	02/04/2010
OREGON CITY	OR	97045	(503) 656-0367	03/24/2011	04/25/2011
OREGON CITY	OR	97045	(503) 656-0367	03/24/2011	03/31/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

abuse, neglect or mistreatment of residents.

Do a new assessment after any major change in a resident's physical or mental health.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
---	----------	---

Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Store, cook, and give out food in a safe and clean way.	Widespread	Immediate jeopardy to resident health or safety
---	------------	---

Make sure that residents receive treatment/services to continue to be able to care for themselves, unless a change is unavoidable.	Isolated	Minimal harm or potential for actual harm
--	----------	---

Have a program to keep infection from spreading.	Pattern	Minimal harm or potential for actual harm
--	---------	---

Give or get lab tests to meet the needs of residents.	Pattern	Minimal harm or potential for actual harm
---	---------	---

properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
--	----------	---

proper medical gas storage and administration areas.	Isolated	Minimal harm or potential for actual harm
--	----------	---

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
--------	-------------------------------------	-----------------

avamere sort

Based on Nursing Home Compare - Survey Deficiency

GLADSTONE	OR	97027	(503) 656-0393	06/05/2008	07/22/2008
GLADSTONE	OR	97027	(503) 656-0393	06/05/2008	07/22/2008
GLADSTONE	OR	97027	(503) 656-0393	06/05/2008	07/22/2008
GLADSTONE	OR	97027	(503) 656-0393	06/05/2008	07/22/2008
GLADSTONE	OR	97027	(503) 656-0393	05/04/2009	06/23/2009
GLADSTONE	OR	97027	(503) 656-0393	05/07/2009	06/22/2009
GLADSTONE	OR	97027	(503) 656-0393	05/07/2009	06/22/2009
GLADSTONE	OR	97027	(503) 656-0393	04/02/2010	05/11/2010

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Rights Deficiencies

Health

Pharmacy Service Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Resident Rights Deficiencies

Fire Safety

Hazardous Area Deficiencies

Fire Safety

Electrical Deficiencies

Health

Quality Care Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Pattern	Potential for minimal harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Pattern	Minimal harm or potential for actual harm
Listen to the resident or family groups or act on their complaints or suggestions.	Pattern	Minimal harm or potential for actual harm
construction that can resist fire for one hour or an approved fire extinguishing system.	Isolated	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
385203	AVAMERE REHABILITATION OF CLACKAMAS	220 E. HEREFORD
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

GLADSTONE	OR	97027	(503) 656-0393	04/02/2010	04/17/2010
GLADSTONE	OR	97027	(503) 656-0393	04/02/2010	04/17/2010
GLADSTONE	OR	97027	(503) 656-0393	04/02/2010	04/17/2010
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Smoke Compartmentation and Control Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Medical Gases and Anesthetizing Areas Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

smoke barrier doors that can resist smoke for at least 20 minutes.	Isolated	Minimal harm or potential for actual harm
a fire alarm system that can be heard throughout the facility.	Widespread	Minimal harm or potential for actual harm
proper medical gas storage and administration areas.	Isolated	Minimal harm or potential for actual harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Isolated	Minimal harm or potential for actual harm
did not have a written emergency evacuation plan.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
portable fire extinguishers.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm

avamere sort

Based on Nursing Home Compare - Survey Deficiency

385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN

avamere sort

Based on Nursing Home Compare - Survey Deficiency

BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/14/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	10/16/2008	12/05/2008
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies
Fire Safety	Electrical Deficiencies
Fire Safety	Electrical Deficiencies
Fire Safety	Fire Alarm Systems Deficiencies
Health	Administration Deficiencies
Health	Quality Care Deficiencies
Health	Environmental Deficiencies
Fire Safety	Building Construction Deficiencies
Fire Safety	Corridor Walls and Doors Deficiencies
Fire Safety	Vertical Openings Deficiencies
Fire Safety	Exits and Egress Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

proper medical gas storage and administration areas.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
an approved back-up procedure for a faulty fire alarm system.	Widespread	Minimal harm or potential for actual harm
Get services outside the nursing home that meet professional standards.	Isolated	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
approved construction type or materials.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Widespread	Minimal harm or potential for actual harm
corridors or aisles that are	Pattern	Minimal harm or potential for actual

avamere sort

Based on Nursing Home Compare - Survey Deficiency

		BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.
385195	AVAMERE REHABILITATION OF BEAVERTON	11850 SW ALLEN BLVD.

avamere sort

Based on Nursing Home Compare - Survey Deficiency

BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	11/09/2009	12/01/2009
BEAVERTON	OR	97008	(503) 646-7164	02/09/2011	04/01/2011
BEAVERTON	OR	97008	(503) 646-7164	02/09/2011	04/01/2011
BEAVERTON	OR	97008	(503) 646-7164	02/09/2011	04/01/2011
BEAVERTON	OR	97008	(503) 646-7164	02/09/2011	04/01/2011
BEAVERTON	OR	97008	(503) 646-7164	02/11/2011	04/01/2011
BEAVERTON	OR	97008	(503) 646-7164	02/11/2011	04/01/2011

avamere sort

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Electrical Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

avamere sort

Based on Nursing Home Compare - Survey Deficiency

unobstructed and are at least 8 feet in width.		harm
properly maintained smoke detectors.	Widespread	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
exits that are accessible at all times.	Pattern	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Pattern	Minimal harm or potential for actual harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Pattern	Minimal harm or potential for actual harm